

# PILE DRIVE

**TURCHI**

**260-F**

- QUALITY MACHINE
- PERFORMANCE
- SAFETY
- PRODUCTIVITY
- COMPACT
- POWERFUL
- VERSATILE
- RELIABLE
- EASY MAINTENANCE
- OPERATOR TRAINING
- TECH SUPPORT
- MECHANICAL TRAINING
- SPARE PARTS WAREHOUSES:
  - ◆ EUROPE
  - ◆ USA
  - ◆ AUSTRALIA



info@aleanda.com

**ALEANDA**

# SPECIFICATIONS

## Hammer



Brand	Indeco	
Joule Options	950	
Blows	n/min	620 / 1500
Hammer Weight	Kg	350
	Lb	771
Noise Rating	DbA	xx/114

## Machine Travel Speed

Low Speed	km/h	2.12
	miles/h	1.24

## Maximum Post Size

Height Options	Meter	3.5
	Foot	9'8"
Side	mm	200/160
	Inches	8"/6"

## Machine Dimensions

Height	mm/inches	2,600 / 102
Width	mm/inches	2,200 / 87
Length	mm/inches	1,930 / 76
Weight	kg/lb	3,500 / 7,716

## Engine Option 1

Engine	DOOSAN D18 HYUNDAUI
Cylinders	3
Displacement	1800 Cm <sup>3</sup>
Power at 2500 RPM	41 Kw
Liquid cooling	

## Engine Option 2



Make	Yanmar
Model	3TNV88 35.4
KW	31.3
HP	42.5
EPA Certification	Tier 3/ Tler 5

## Hydraulic System




Oil Tank Size	litres	120
	US gallons	32
Oil Pressure	Bar	170
Fuel Tank Size	litres	50
	US gallons	13

## Inclination Capabilities

Column Inclination	degrees	+10 to -51
Lateral Inclination	degrees	+10 to -10

# TRANSPORT DIMENSIONS





## KEY

A	2,350mm	93"	C	3,040mm	120"	E	1,960mm	77"
B	2,690mm	106"	D	2,400mm	94"			

info@aleanda.com

# THE BEST QUALITY AND PERFORMANCE



[info@aleanda.com](mailto:info@aleanda.com)

# ALEANDA